

L Number	Hits	Search Text	DB	Time stamp
-	3	son.in. and (smithers.xa. or smithers.xp.)	USPAT	2004/09/13 12:37
-	125	delet\$3 near3 decrypt\$3	USPAT; US-PGPUB	2004/09/10 17:41
-	18	delet\$3 near3 decrypt\$3	EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:56
-	2467	713/200.ccls.	USPAT; US-PGPUB	2004/09/14 11:20
-	2919	713/201.ccls.	USPAT; US-PGPUB	2004/09/13 12:37
-	722	380/277.ccls.	USPAT; US-PGPUB	2004/09/13 12:37
-	278	380/278.ccls.	USPAT; US-PGPUB	2004/09/13 12:38
-	146	380/279.ccls.	USPAT; US-PGPUB	2004/09/13 12:38
-	50	380/280.ccls.	USPAT; US-PGPUB	2004/09/13 12:38
-	171	380/286.ccls.	USPAT; US-PGPUB	2004/09/13 12:38
-	475	380/201.ccls.	USPAT; US-PGPUB	2004/09/13 12:38
-	429	705/57.ccls.	USPAT; US-PGPUB	2004/09/13 12:39
-	3356	707/1.ccls.	USPAT; US-PGPUB	2004/09/13 12:39
-	986	707/9.ccls.	USPAT; US-PGPUB	2004/09/13 12:39
-	288	725/25.ccls.	USPAT; US-PGPUB	2004/09/13 12:42
-	265	725/31.ccls.	USPAT; US-PGPUB	2004/09/13 12:42
-	3	("5673385" "6301660" "6625734").pn.	USPAT	2004/09/13 13:57
-	0	("5673385" "6301660" "6625734").pn.) and virus	USPAT	2004/09/13 13:57
-	779	705/51.ccls.	USPAT; US-PGPUB	2004/09/14 11:20
-	7726	((disabl\$3 or mask\$3) near3 (interrupt or trap or exception))	USPAT; US-PGPUB	2004/09/14 11:30
-	653	((disabl\$3 or mask\$3) near3 (interrupt or trap or exception)))	USPAT; US-PGPUB	2004/09/14 12:00
-	375	and (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) ((((disabl\$3 or mask\$3) near3 (interrupt or trap or exception)))	USPAT; US-PGPUB	2004/09/14 11:22
-		and (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3))		
-		and @ad<20000811		
-	19	((disabl\$3 or mask\$3) near3 (interrupt or trap or exception)))	USPAT; US-PGPUB	2004/09/14 11:22
-	857	same (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) ((disabl\$3 or mask\$3) near3 (interrupt or trap or exception))	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:30
-	2	((disabl\$3 or mask\$3) near3 (interrupt or trap or exception)))	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:31
-	24	and (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) ballard-clinton\$.in.	USPAT; US-PGPUB	2004/09/14 11:51
-	12725	key with manag\$5	USPAT; US-PGPUB	2004/09/14 12:17
-	2676	(key with manag\$5) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)	USPAT; US-PGPUB	2004/09/14 11:33
-	23	((key with manag\$5) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)) with server with (format\$4 or type)	USPAT; US-PGPUB	2004/09/14 11:35
-	166	((key with manag\$5) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)) with (format\$4 or type)	USPAT; US-PGPUB	2004/09/14 11:35
-	180	(key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)	USPAT; US-PGPUB	2004/09/14 12:28
-	47	((key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)	USPAT; US-PGPUB	2004/09/14 11:38

-	0	((key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)) with (delet\$3 or eras\$3)	USPAT; US-PGPUB	2004/09/14 11:39
-	0	((key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)) same (delet\$3 or eras\$3)	USPAT; US-PGPUB	2004/09/14 11:39
-	7859	(encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (format\$4 or reformat\$4 or conver\$4)	USPAT; US-PGPUB	2004/09/14 13:25
-	50	((encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (format\$4 or reformat\$4 or conver\$4)) with (delet\$3 or eras\$3)	USPAT; US-PGPUB	2004/09/14 11:40
-	1	((encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (format\$4 or reformat\$4 or conver\$4)) with (delet\$3 or eras\$3)) with (bit\$1map\$4 or bit adj map\$4 or image)	USPAT; US-PGPUB	2004/09/14 11:40
-	789	reformat\$4 near5 message	USPAT; US-PGPUB	2004/09/14 11:41
-	43	(reformat\$4 near5 message) with (decrypt\$3 or decipher\$3 or decod\$3)	USPAT; US-PGPUB	2004/09/14 11:42
-	1	((reformat\$4 near5 message) with (decrypt\$3 or decipher\$3 or decod\$3)) with (key or cipher)	USPAT; US-PGPUB	2004/09/14 11:42
-	1	((reformat\$4 near5 message) with (decrypt\$3 or decipher\$3 or decod\$3)) same (key or cipher)	USPAT; US-PGPUB	2004/09/14 11:42
-	27188	(reformat\$4 or format\$4 or conver\$4) near5 message	USPAT; US-PGPUB	2004/09/14 13:46
-	3572	((reformat\$4 or format\$4 or conver\$4) near5 message) and (713.clas. or 380.clas. or 705.clas.)	USPAT; US-PGPUB	2004/09/14 11:46
-	79	((reformat\$4 or format\$4 or conver\$4) near5 message) and (380/201.ccls. or 705/51.ccls. or 705/57.ccls.)	USPAT; US-PGPUB	2004/09/14 11:47
-	1263	(reformat\$4 or format\$4 or conver\$4) with message with image	USPAT; US-PGPUB	2004/09/14 11:46
-	4	((reformat\$4 or format\$4 or conver\$4) with message with image) and (380/201.ccls. or 705/51.ccls. or 705/57.ccls.)	USPAT; US-PGPUB	2004/09/14 11:47
-	1	((decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3) with (format\$4 or reformat\$4 or conver\$4)	USPAT; US-PGPUB	2004/09/14 11:49
-	1	((decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3) same (format\$4 or reformat\$4 or conver\$4)	USPAT; US-PGPUB	2004/09/14 11:49
-	80	((decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3) and (format\$4 or reformat\$4 or conver\$4)	USPAT; US-PGPUB	2004/09/14 11:49
-	44	((decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3) and (format\$4 or reformat\$4 or conver\$4)) and @ad<20000811	USPAT; US-PGPUB	2004/09/14 11:53
-	28	ballard-clinton\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:51
-	34292	file near5 (reformat\$4 or format\$4 or conver\$4)	USPAT; US-PGPUB	2004/09/14 14:03
-	85	(file near5 (reformat\$4 or format\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with key	USPAT; US-PGPUB	2004/09/14 11:55
-	23	((file near5 (reformat\$4 or format\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with key) and @ad<20000811	USPAT; US-PGPUB	2004/09/14 11:55
-	5698	key with manag\$5	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:18
-	967	(key with manag\$5) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:19
-	2	((key with manag\$5) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)) with server with (format\$4 or type)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:19
-	25	((key with manag\$5) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)) with (format\$4 or type)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:20

-	63	(key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:28
-	0	((key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (delet\$3 or eras\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:28
-	0	((key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) same (delet\$3 or eras\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:29
-	0	((key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) and (delet\$3 or eras\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:29
-	18	((key near3 manag\$5) with (format\$4 or reformat\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:29
-	1545	(encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (format\$4 or reformat\$4 or conver\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:25
-	6	((encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (format\$4 or reformat\$4 or conver\$4)) with (delet\$3 or eras\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:27
-	122	((encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (format\$4 or reformat\$4 or conver\$4)) with (bit\$1map\$4 or bit adj map\$4 or image)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:26
-	1	((encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (format\$4 or reformat\$4 or conver\$4)) with (bit\$1map\$4 or bit adj map\$4 or image) with (delet\$3 or eras\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:27
-	2	((encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3) with (format\$4 or reformat\$4 or conver\$4)) with (bit\$1map\$4 or bit adj map\$4 or image) same (delet\$3 or eras\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:44
-	49	reformat\$4 near5 message	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:44
-	60	reformat\$4 with message	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:44
-	0	(reformat\$4 with message) with (decrypt\$3 or decipher\$3 or decod\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:45
-	6505	(reformat\$4 or format\$4 or conver\$4) near5 message	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:46
-	193	((reformat\$4 or format\$4 or conver\$4) near5 message) with image	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:46
-	0	((reformat\$4 or format\$4 or conver\$4) near5 message) with image) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:46
-	13	(decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:02
-	0	((decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3) with (format\$4 or reformat\$4 or conver\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:02
-	0	((decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3) same (format\$4 or reformat\$4 or conver\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:02
-	0	((decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3) and (format\$4 or reformat\$4 or conver\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:02
-	9527	file near5 (reformat\$4 or format\$4 or conver\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:03
-	10	((file near5 (reformat\$4 or format\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)) with key	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:04

-	53	(file near5 (reformat\$4 or format\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3 or encipher\$3 or decipher\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:13
-	100	(decrypt\$3 or decipher\$3) with key with (message or image) with receiv\$3 with request\$3	USPAT; US-PGPUB	2004/09/14 14:56